

## Post-traumatic Stress Disorder

Ros, T. et al. Neurofeedback Tunes Scale Free Dynamics in spontaneous Brain Activity. *Cerebral Cortex*. 2016 Sep 12.

Nicholason,A.A. et al. Alpha oscillation neurofeedback modulates amygdala complex connectivity and arousal in posttraumatic stress disorder. *Neuroimage Clin*. 2016 Jul 14;12,506-516

Tursich,M. et al. Distinct intrinsic network connectivity patterns of post-traumatic stress disorder symptom clusters. *Acta Psychiatr Scand*. 2015 Jul;132(1)29-38

Kluetsch.R.C. et al. Plastic modulation of PTSD resting-state networks and subjective wellbeing by EEG neurofeedback. *Acta Psychiatr Scand*. 2014 Aug; 130(2),123-136

Van der Kolk, B.A. et al. A randomized controlled study of neurofeedback for chronic PTSD. [PLOS ONE](#) 2016, Dec 1-18.

Clancy, K. et al. Restless 'rest': intrinsic sensory hyperactivity and disinhibition in post-traumatic stress disorder. [Brain](#) 2017, June 3, doi 10.1093.

Olson,E.A. et al. Disruption of white matter structural integrity and connectivity in posttraumatic stress disorder: A TBSS and tractography study. [Depress Anxiety](#) 2017 May;34(5):437-445.

Falconer, E. et al. The neural networks of inhibitory control in posttraumatic stress disorder. [J Psychiatry Neurosci](#) 2008 Sep; 33(5): 413-422.

Clancy, K., et al., Restless Rest: Intrinsic Sensory Hyperactivity and Disinhibition in Post Traumatic Stress Disorder. [Brain](#) 2017, 1-10

National Institute of Mental Health. Brain Biomarkers Could Help Identify those at Risk of Severe PTSD. [Science Daily](#) January 28, 2019

Van der Kolk, B., et al. A Randomized Controlled Study of Neurofeedback for Chronic PTSD. [PLOS ONE](#) December 16, 2016